

# Sample Exam – Answers

Sample Exam set A  
Version 1.3

## ISTQB® Mobile Application Testing Syllabus Specialist

Compatible with Syllabus version 2019

---

International Software Testing Qualifications Board

---



## Copyright Notice

Copyright Notice © International Software Testing Qualifications Board (hereinafter called ISTQB®).

ISTQB® is a registered trademark of the International Software Testing Qualifications Board.

All rights reserved.

The authors hereby transfer the copyright to the ISTQB®. The authors (as current copyright holders) and ISTQB® (as the future copyright holder) have agreed to the following conditions of use:

Extracts, for non-commercial use, from this document may be copied if the source is acknowledged.

Any Accredited Training Provider may use this sample exam in their training course if the authors and the ISTQB® are acknowledged as the source and copyright owners of the sample exam and provided that any advertisement of such a training course is done only after official Accreditation of the training materials has been received from an ISTQB®-recognized Member Board.

Any individual or group of individuals may use this sample exam in articles and books, if the authors and the ISTQB® are acknowledged as the source and copyright owners of the sample exam.

Any other use of this sample exam is prohibited without first obtaining the approval in writing of the ISTQB®.

Any ISTQB®-recognized Member Board may translate this sample exam provided they reproduce the abovementioned Copyright Notice in the translated version of the sample exam.

## Document Responsibility

The ISTQB® Examination Working Group is responsible for this document.

## Acknowledgements

This document was produced by a core team from the ISTQB®: Mobile Application Testing team: Vipul Kocher (chair), Piotr Wicherski (vice-chair), Angelina Samaroo, Björn Lemke, Eran Kinsbruner, José Díaz, Lloyd Roden, Matthias Hamburg, Nils Röttger, Ralf Pichler, Samuel Ouko, Tal Pe'er, Yaron Tsubery

The core team thanks the Exam Working Group review team, the Syllabus Working Group and the National Boards for their suggestions and input.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

## Revision History

Sample Exam – Answers Layout Template used: Version 2.6 Date: September 29, 2021

Version	Date	Remarks
1.3	April 27, 2023	Bump of version to match Question document
1.2	September 29, 2021	Updated the Purpose of document Correction of question: #31
1.1.1	June 10, 2021	Update of Copyright Notice
1.1	January 24, 2020	Layout corrections Correction of questions: #16, #31, and #34
1.0	May 3, 2019	ISTQB® Release

# Table of Contents

Copyright Notice .....	2
Document Responsibility .....	2
Acknowledgements .....	2
Revision History .....	3
Table of Contents .....	4
Introduction .....	5
Purpose of this document .....	5
Instructions .....	5
Answer Key .....	6
Answers .....	7
1 .....	7
2 .....	7
3 .....	7
4 .....	8
5 .....	8
6 .....	8
7 .....	9
8 .....	9
9 .....	9
10 .....	9
11 .....	9
12 .....	10
13 .....	10
14 .....	10
15 .....	11
16 .....	11
17 .....	11
18 .....	12
19 .....	12
20 .....	12
21 .....	12
22 .....	13
23 .....	13
24 .....	13
25 .....	13
26 .....	14
27 .....	14
28 .....	14
29 .....	14
30 .....	15
31 .....	15
32 .....	15
33 .....	15
34 .....	16
35 .....	16
36 .....	16
37 .....	17
38 .....	17
39 .....	17
40 .....	18

## Introduction

### Purpose of this document

The example questions and answers and associated justifications in this sample exam have been created by a team of subject matter experts and experienced question writers with the aim of:

- Assisting ISTQB® Member Boards and Exam Boards in their question writing activities
- Providing training providers and exam candidates with examples of exam questions

These questions cannot be used as-is in any official examination.

**Note**, that real exams may include a wide variety of questions, and this sample exam *is not* intended to include examples of all possible question types, styles or lengths, also this sample exam may both be more difficult or less difficult than any official exam.

### Instructions

In this document you may find:

- Answer Key table, including for each correct answer:
  - K-level, Learning Objective, and Point value
- Answer sets, including for all questions:
  - Correct answer
  - Justification for each response (answer) option
  - K-level, Learning Objective, and Point value
- Additional answer sets, including for all questions [does not apply to all sample exams]:
  - Correct answer
  - Justification for each response (answer) option
  - K-level, Learning Objective, and Point value
  
- *Questions are contained in a separate document*

## Answer Key

Question Number (#)	Correct Answer	LO	K-Level	Points
1	c	MAT-1.1.1	K2	1
2	b	MAT-1.2.1	K2	1
3	a	MAT-1.3.1	K1	1
4	c	MAT-1.4.1	K2	1
5	b, c	MAT-1.5.1	K2	1
6	b	MAT-1.6.1	K3	1
7	a	MAT-1.7.1	K2	1
8	c	MAT-1.8.1	K2	1
9	a	MAT 2.1.1	K2	1
10	c	MAT-2.1.3	K2	1
11	d	MAT-2.1.4	K1	1
12	a	MAT-2.1.5	K1	1
13	b	MAT-2.1.6	K2	1
14	d	MAT-2.1.7	K3	1
15	c	MAT-2.1.8	K3	1
16	c	MAT 2.2.1	K3	1
17	a	MAT-2.2.2	K2	1
18	c	MAT-2.2.4	K2	1
19	d	MAT-2.2.5	K1	1
20	a	MAT-2.2.6	K1	1

Question Number (#)	Correct Answer	LO	K-Level	Points
21	d	MAT-2.3.1	K2	1
22	a	MAT-3.1.1	K3	1
23	a, b	MAT-3.1.3	K2	1
24	a	MAT-3.1.4	K1	1
25	c	MAT-3.1.5	K3	1
26	c	MAT-3.1.6	K1	1
27	b	MAT-3.1.7	K2	1
28	a	MAT-3.1.8	K2	1
29	b	MAT-3.2.2	K2	1
30	d	MAT-3.3.1	K1	1
31	a	MAT-3.3.2	K2	1
32	d	MAT-3.4.2	K2	1
33	d	MAT-4.1.1	K1	1
34	b	MAT-4.2.1	K1	1
35	c	MAT-4.3.1	K2	1
36	b	MAT-4.4.1	K2	1
37	c	MAT-5.1.1	K2	1
38	b	MAT-5.2.1	K2	1
39	d	MAT-5.3.1	K1	1
40	b	MAT-5.4.1	K2	1

## Answers

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
1	c	a) Is not correct. Expected user base is not part of test strategy or test plan b) Is not correct. Test levels, test cases and test data are derived from the application, not from analytical data c) Is correct. As tests cannot be executed on all possible devices, the selected device portfolio and prioritization should be based on the devices and platforms most common found in the target market. The information about most common devices and platforms in the target market is provided by mobile analytics data d) Is not correct. Application type and development model is not selected within test strategy or test plan	MAT-1.1.1	K2	1
2	b	a) Is not correct. As the scenario does not include any hint towards additional paid features b) Is correct. The data shown is publicly available, and thus it is unlikely the user will pay to read the data in the app. However, the user is used to seeing advertisements in news sites c) Is not correct. As it is a free-to-use app d) Is not correct. As no transactions are managed in this app	MAT-1.2.1	K2	1
3	a	a) Is correct. Feature phones come with some apps installed, like browsers, but user options to install additional apps are usually limited to a small set of applications provided by the device manufacturer b) Is not correct. See rationale for correct answer c) Is not correct. See rationale for correct answer d) Is not correct. See rationale for correct answer	MAT-1.3.1	K1	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
4	c	<p>a) Is not correct. Hybrid apps are less suitable than native apps, since they require an additional layer to translate between web technology content and the device runtime environment</p> <p>b) Is not correct. Web apps do not utilize device features as well as native apps</p> <p>c) Is correct. The game is for one platform only and utilized many device features, which can be best utilized by native apps</p> <p>d) Is not correct. As Android is a mobile OS not a Desktop OS</p>	MAT-1.4.1	K2	1
5	b, c	<p>a) Is not correct. Always connected is not necessary since user is able to work offline. As the samples are sent out via physical shipping, a delay between registration and arrival of samples is present anyway</p> <p>b) Is correct. Native app is appropriate since it is iOS and allows user to work offline</p> <p>c) Is correct. Store and forward model allows the user to register even when he/she is offline while doing so</p> <p>d) Is not correct. Cellular data is not the most important consideration since the user is able to work offline. As the samples are sent out via physical shipping, a delay between registration and arrival of samples is present anyway</p> <p>e) Is not correct. Web app will require constant connectivity to operate</p>	MAT-1.5.1	K2	1
6	b	<p>a) Is not correct. As remote device access service brings no advantage for single platform user base</p> <p>b) Is correct. As the user bases is single platform and app is low risk</p> <p>c) Is not correct. As maximum coverage does not go together with low risk</p> <p>d) Is not correct. As testing should not be based on simulated devices alone</p>	MAT-1.6.1	K3	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
7	a	<p>a) Is correct. Mobile apps are usually started via tapping in the GUI. Thus, the user has no option to provide additional parameters during startup of the app</p> <p>b) Is not correct. See rationale for correct answer</p> <p>c) Is not correct. See rationale for correct answer</p> <p>d) Is not correct. See rationale for correct answer</p>	MAT-1.7.1	K2	1
8	c	<p>a) Is not correct. As it is a project risk</p> <p>b) Is not correct. As crowd testing has no impact on maintenance cost per platform</p> <p>c) Is correct. As the crowd has a lot of different devices</p> <p>d) Is not correct. As good reviews are not a risk</p>	MAT-1.8.1	K2	1
9	a	<p>a) Is correct. As mentioned in the text, the SUT is a native app and common native apps can work without an internet connection. Thus, testing the WLAN module should have the lowest priority in comparison to the tests of the other hardware features</p> <p>b) Is not correct. See rationale for correct answer</p> <p>c) Is not correct. See rationale for correct answer</p> <p>d) Is not correct. See rationale for correct answer</p>	MAT-2.1.1	K2	1
10	c	<p>a) Is not correct. As drop in CPU frequency is used to reduce power consumption</p> <p>b) Is not correct. As shutting down parts of the system is used to reduce power consumption</p> <p>c) Is correct. As apps are not de-installed due to overheating</p> <p>d) Is not correct. As malfunctioning can occur</p>	MAT-2.1.3	K2	1
11	d	<p>a) Is not correct. GPS signal belongs to input sensors</p> <p>b) Is not correct. Gyroscope belongs to input sensors</p> <p>c) Is not correct. Motion sensor belongs to input sensors</p> <p>d) Is correct. This scenario is not testing an input sensor</p>	MAT-2.1.4	K1	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
12	a	<p>a) Is correct. This is the best answer, because it lists only scenarios covering different input methods</p> <p>b) Is not correct. Printing the content of a screen is testing of an output and not an input method</p> <p>c) Is not correct. Sending an SMS to a friend is also testing of an output method</p> <p>d) Is not correct. Using a TV remote app is testing an output and not an input method</p>	MAT-2.1.5	K1	1
13	b	<p>a) Is not correct. Testing security aspects is not done while testing for correct screen orientation</p> <p>b) Is correct. The list contains only aspects that are mentioned in the syllabus for screen orientation change</p> <p>c) Is not correct. Performance testing is not done while testing for correct screen orientation</p> <p>d) Is not correct. Testing for WLAN interrupts is not done while testing for correct screen orientation</p>	MAT-2.1.6	K2	1
14	d	<p>a) Is not correct. Statement i is false, because the software has been implemented as a mobile-web application</p> <p>b) Is not correct. As statements i and iv are fault tolerance for user-initiated interrupts</p> <p>c) Is not correct. Statement iv is not a user-initiated interrupt</p> <p>d) Is correct. Statements ii, iii and v are all user-initiated interrupts</p>	MAT-2.1.7	K3	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
15	c	<p>a) Is not correct. There is no hint in the text that the users have experienced performance problems</p> <p>b) Is not correct. There is nothing mentioned in the text that users are complaining about the malfunctioning of the scanning feature</p> <p>c) Is correct. This is the most important test to be performed, because missing or incorrect access permissions may be a possible root cause for the fixed problem</p> <p>d) Is not correct. The users are able to install the update of the app successfully, as stated in the text</p>	MAT-2.1.8	K3	1
16	c	<p>a) Is not correct. See rationale for correct answer</p> <p>b) Is not correct. See rationale for correct answer</p> <p>c) Is correct. Statements i, ii and v are functional tests, as mentioned in the text. Statements iii and iv are non-functional tests. Additionally, their execution makes no sense in this context</p> <p>d) Is not correct. See rationale for correct answer</p>	MAT-2.2.1	K3	1
17	a	<p>a) Is correct. According to the syllabus, testing the force-touch functionality is an example that is in the context of testing quick-access links</p> <p>b) Is not correct. This approach does not focus on testing failure-free working of quick-access links. Instead it focuses on browser bookmarks</p> <p>c) Is not correct. This approach does not focus on testing failure-free working of quick-access links. Instead it focuses on interactions with device hardware</p> <p>d) Is not correct. This approach does not focus on testing failure-free working of quick-access links. Instead it focuses on links pointing to resources not available</p>	MAT-2.2.2	K2	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
18	c	a) Is not correct. As performance is important for any app b) Is not correct. As testing the utilization of device features is important c) Is correct. As a native app does not use various browsers d) Is not correct. As the app should be compatible with the various devices of the users	MAT-2.2.4	K2	1
19	d	a) Is not correct. Testing for security issues is not primarily the focus of verifying interoperability with different OS versions. b) Is not correct. See rationale for not correct answer c) Is not correct. See rationale for not correct answer d) Is correct. Testing for backward compatibility focuses on verifying correct interoperability with different OS versions, as stated as example in the syllabus	MAT-2.2.5	K1	1
20	a	a) Is correct. This is an accurate test goal for testing the SUT for co-existence with other installed applications on the device b) Is not correct. This is not a valid test goal in the context of testing for co-existence of the SUT to other applications c) Is not correct. See rationale for not correct answer d) Is not correct. See rationale for not correct answer	MAT-2.2.6	K1	1
21	d	a) Is not correct. According to the syllabus, this answer contains an appropriate aspect for performing connectivity tests b) Is not correct. See rationale for not correct answer c) Is not correct. See rationale for not correct answer d) Is correct. To plug in a power supply via USB does not focus on connectivity, but it can be used as a suitable scenario for interrupt testing	MAT-2.3.1	K2	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
22	a	a) Is correct. Exe is an executable file format for Windows only. It won't work on Android b) Is not correct. Connecting the device to a PC and running installation commands can be used for installation testing on Android devices c) Is not correct. Installation from the Google Play Beta Program will work on Android devices d) Is not correct. This scenario can also be used for installation testing on Android devices	MAT-3.1.1	K3	1
23	a, b	a) Is correct. Code injection is a security related concern b) Is correct. Data encryption at transfer is a security related concern c) Is not correct. Since an app not responding after interruption is more of an operational than a security concern d) Is not correct. Rendering issues are not directly security-related e) Is not correct. Overlap of screen elements on small screens is not directly a security concern	MAT-3.1.3	K2	1
24	a	a) Is correct. Only an instrumented build can provide exact chronometric numbers on how long a processing step within the app actually lasted. A stop watch is not sufficient in the range of milliseconds. Also, it does not allow differentiation between the time taken by the app, by the backend and time for network communication b) Is not correct. Server-side performance is not app performance c) Is not correct. Emulator/Simulator can never provide correct app performance d) Is not correct. See rationale for correct answer	MAT-3.1.4	K1	1
25	c	a) Is not correct. Because this step is to be performed b) Is not correct. Because this step is to be performed c) Is correct. Because this step is NOT to be performed d) Is not correct. Because this step is to be performed	MAT-3.1.5	K3	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
26	c	<ul style="list-style-type: none"> <li>a) Is not correct. As per syllabus and glossary</li> <li>b) Is not correct. As per syllabus and glossary</li> <li>c) Is correct. As per syllabus and glossary</li> <li>d) Is not correct. As per syllabus and glossary</li> </ul>	MAT-3.1.6	K1	1
27	b	<ul style="list-style-type: none"> <li>a) Is not correct. See rationale for correct answer</li> <li>b) Is correct. When doing internationalization testing, we want to see that all strings are sourced from a resource. Thus, if the app does not show the pseudo-strings and instead shows real language, it is not sourced from the pseudo-string resource</li> <li>c) Is not correct. See rationale for correct answer</li> <li>d) Is not correct. See rationale for correct answer</li> </ul>	MAT-3.1.7	K2	1
28	a	<ul style="list-style-type: none"> <li>a) Is correct. The syllabus states that accessibility testing “is performed to determine the ease by which users with differing needs can use a component or system”</li> <li>b) Is not correct. See rationale for correct answer</li> <li>c) Is not correct. See rationale for correct answer</li> <li>d) Is not correct. See rationale for correct answer</li> </ul>	MAT-3.1.8	K2	1
29	b	<ul style="list-style-type: none"> <li>a) Is not correct. Archiving testware is a test closure activity, which is done after post-release testing</li> <li>b) Is correct. When the app is available in the application store it must be tested that it can be installed from there, and works as in the build that was tested</li> <li>c) Is not correct. Application store approval testing should be done prior to submission</li> <li>d) Is not correct. Archiving testware is a test closure activity, which is done after post-release testing</li> </ul>	MAT-3.2.2	K2	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
30	d	<p>a) Is not correct. As the question does not provide any information about risks and all sessions have the same time frame, not a time frame adjusted according to risk</p> <p>b) Is not correct. As no delegation of responsibilities is happening</p> <p>c) Is not correct. As no performance testing is done in the scenario</p> <p>d) Is correct. The team lead uses Session-Based Test Management, as testing is divided into 1h sessions, each with a defined focus</p>	MAT-3.3.1	K1	1
31	a	<p>a) Is correct. Tours are used to explore an application and to understand how it works. In this context it is very effective for field testing</p> <p>b) Is not correct. Field testing is not only limited to device labs. It should also be performed in the real world</p> <p>c) Is not correct. Field testing is not only limited to cloud-solutions</p> <p>d) Is not correct. Using a test automation tool is not suitable in the context of exploratory testing with respect to field testing</p>	MAT-3.3.2	K2	1
32	d	<p>a) Is not correct. This statement is simply wrong</p> <p>b) Is not correct. This statement is simply wrong</p> <p>c) Is not correct. This statement is simply wrong</p> <p>d) Is correct. Market and device fragmentation, as well as user expectations with regard to usability, and the variability of usage scenarios give test conditions which can only be tested manually</p>	MAT-3.4.2	K2	1
33	d	<p>a) Is not correct. Visual Studio IDE is not used for developing apps for iOS</p> <p>b) Is not correct. Xcode IDE is used for developing apps for iOS, but Universal Studio IDE is not used for developing apps for Android</p> <p>c) Is not correct. Xcode IDE is not used for developing apps for Android</p> <p>d) Is correct. Referring to the examples given at the syllabus, for Android app development Android Studio may be used and for iOS app development Xcode may be used</p>	MAT-4.1.1	K1	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
34	b	<p>a) Is not correct. Taking screenshots can be utilized by an SDK and is listed in the examples of chapter 4.2</p> <p>b) Is correct. According to chapter 4.2 the task of designing test cases is not mentioned in the examples that can be supported by tools as part of SDKs</p> <p>c) Is not correct. Pushing random events to the application can be utilized by an SDK and is listed in the examples of chapter 4.2</p> <p>d) Is not correct. Creating virtual devices can be utilized by an SDK and is listed in the examples of chapter 4.2</p>	MAT-4.2.1	K1	1
35	c	<p>a) Is not correct. See rationale for correct answer</p> <p>b) Is not correct. See rationale for correct answer</p> <p>c) Is correct. It is possible to have a simulator representing the server side, and the application installed on the AVD emulator to better utilize the earlier test environment (all on one PC). In addition, having the tester advising the developer on an environment is good, as is simulating the server side for basic functionality testing as an alternative if the server side has problems or if requested to be utilized by the testing team on early test stages</p> <p>d) Is not correct. See rationale for correct answer</p>	MAT-4.3.1	K2	1
36	b	<p>a) Is not correct. See rationale for correct answer</p> <p>b) Is correct. The on premise lab main advantage is to enable specific tests for sensors, battery, and unique-device related feature or tech part, especially if it's done by the device manufacturer – in that case Samsung. The question is targeted to check if the examinee knows how to distinguish between the labs by leveraging the lab's advantages</p> <p>c) Is not correct. See rationale for correct answer</p> <p>d) Is not correct. See rationale for correct answer</p>	MAT-4.4.1	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
37	c	a) Is not correct. An agent-based testing approach is best used for executing mobile web applications, whereas device-based testing is best used for all types of mobile applications b) Is not correct. Agent-based approaches utilize the User-Agent string sent by the browser to spoof a particular browser on a particular device and device-based approaches execute on the actual gadget c) Is correct. It is the mobile apps that are tested using general web application tools, whereas native apps are best tested using specific tools d) Is not correct. The agent-based approach mimics the browser, whereas the device-based approach runs on the actual browser	MAT-5.1.1	K2	1
38	b	a) Is not correct. Object based scripting requires manual scripting not needed in Image/OCR scripting b) Is correct. Object based scripting is the most reliable method of authoring test automation code c) Is not correct. Maintenance effort and authoring challenges relating to of Image/OCR are higher with app changes that affect the baseline images d) Is not correct. Image/OCR is the less reliable method	MAT-5.2.1	K2	1
39	d	a) Is not correct. It is important to consider tester's skill set when evaluating the tools b) Is not correct. It is important to consider automation requirements and complexities c) Is not correct. This is an important consideration d) Is correct. It is not a major consideration to make consideration for independent operation	MAT-5.3.1	K1	1

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
40	b	a) Is not correct. Remote test labs are best for advanced stages with full lab setup b) Is correct. Testing against a local device lab is the approach that would typically serve small range of devices for earlier stages of the app testing c) Is not correct. Remote test labs usually have a wide variety of devices d) Is not correct. Remote test labs are usually stable for large scale tests	MAT-5.4.1	K2	1